AnyFit. ANYFIT INTERNATIONAL str. 287-289,60314 Frankfurl T +49 69 90439168

ANYFIT INTERNATIONAL


Hanauer Landstr. 287-289,60314 Frankfurt am Main, DE


T +49 69 90439168

account-office@anyfit.de

www.anyfit.de

Entworfen von AnyFit Health Tech. GmbH in Frankfurt Deutschland





AI SERIES



APPEARANCE DESIGN

Extraordinary craftsmanship

Less is More.

In order to pursue the minimalist movement of the exterior, the surface design of the machine pursues a refined and clean visual effect. Using the internal fixed design to keep the perfection of the surface to the greatest extent, we adopt a special mold process to make the line sharper, reaching RO.2mm,which is equivalent to the standard of consumer electronics. Not only does this show the minimalism and high quality concept of AnyFit, It also expresses the sports spirit of infinite breakthrough.

Double Texture Appearance

Alternating glossy and matte textures. Focus on the expression of smooth lines and exquisite craftsmanship

Appearance Patent

Unified systematic style design, appearance patent.





FUNCTIONAL DESIGN




Smart bracelet and scan code, automatically logged in. Smart identification of membership



Smart Personal Training

Check out the exclusive plan for coach customization.

Adjust the intensity of the plan at any time according to your own situation.



Smart Curriculum

Flexible online courses, continually updated, even including group running course, depending on the personal trainer.





Smart Data Statistics

History of statistics, view the completion of the course, daily smart training data analysis; personal health management, physical analysis and fitness level assessment, statistics of various body data.



Synchronous detection of heart rate

It provides an objective exercise scale for your heart rate, because it is usually more accurate and safer than your feelings.



Entertainment

Enjoy the latest music, watch Hollywood movies online, browse the news, engage in social media.









TREADMILL

With Anyfit Smart Training Tech.

SIMPLY BETTER

The treadmill is not new product, running is not a new way of exercising.

How to innovate is a key challenge for us, as we want to be different.


We all have no choice but to be better. We need to be stronger, so our treadmill's overall structure is more stable, and thousands of tests are enough to prove it. We need to be smarter, so it is equipped with the AnyFit smart training system, which makes running more suitable for everyone's ideas and needs.

Sometimes less is more, so with our smooth appearance and exquisite craftsmanship we pursue to stand out.

Any way, we simply need to be better.



COMFORT DESIGN




Comfortable Running Height

The running height of the running platform is lower than the usual running platform 30-40mm



Ergonomic Handrail







Introversion Sidebar

The side strips are designed with an inward tilt.



Smooth Running

Brings users a superior and flexible running experience

PERFORMANCE



The fastest speed can reach 24km/h, provides smooth, consistent, natural exercise experience



High Performance Motor

Efficient 3.0 kW AC precision motor with a top speed of 24km/h for a smooth, consistent, natural workout experience.



Maintenance Free Running Deck

Maintenance-free design with running belt, no lubrication required




HD Smart Screen


1080P 21.5 inch screen, tempered glass, high strength, high resistance, large screen brings the feeling of being there







AnyFit Course







≜€ (€ **(1) (4)**



Specifications	AI5	AI3
Console Screen	21.5"Touchscreen	0.56°Led+8*8 Dot Matrix
Motor Power	3.0KW	3.0KW
Speed	1-24KM/H	1-24KM/H
Incline	O-15%	0-15%
Running Surface	580*1600mm	580*1600mm
Assembled Dimension	2220*910*1600mm	2220*910*1600mm
Self-compiled programs	3	3
Preset Programs	6	6
Power Requirements	AC 220V/110V	AC 220V/110V
Net Weight/Gross Weight	240KG	240KG
Max User Weight	150KG	150KG
Console Function		
USB	•	0
Headphone	1000	26
Fan		
fultiple Cup And Accessory Holders	•	
Bluetooth Audio Output		
Console Data Display		
Speed	•	1000
Incline	(/ 6)	17 0 0
Speed Shortcut Key		
Slope Shortcut Key	•	
Calories	•	•
Heart Rate		
Distance	1300	1000
Time	(III)	(I) (i)
Frequency	•	
Power Ration	•	
Remaining Time	•	
Elapsed Time	•	
Total Progress Time		10.00
Rotations Per Minute	(/ ● 1.	V/061
Average Speed		
METS	•	•
Preset Program	•	•
Self-compiled		

ELLIPTICAL

With Anyfit Smart Training Tech.



COMPLETELY DIFFERENT CONCEPT

Using an elliptical and unique design concept, AnyFit occupies global design patents and multiple structural patents. All the design and investment ensure a smooth experience during movement without any breaks. Also with smart training, difference of height of user and necessary needs for training courses.

For the mechanical design in the transmission structure part, we use 76 bearings, 3 special motors. The manufacturing process is also subject to strict quality control.

With AnyFit smart training technology, each user can be matched with the most suitable mechanical mode. According to the personal body data, after logging in, the device will automatically adjust the height and stride of the first step, this is a unique innovation in AnyFit's multi-function elliptical design.

COMFORT DESIGN



Smart Stride Adjustment

According to the different heights of the trainers, the length of the stride is automatically matched, and the stride adjustment range is 50-69 cm.




Smart Step Depth Adjustment

Automatically adjust the depth of the foot according to the training plan, Suitable for different training methods.







Multi-position Sports Handrail

Designed for by different training methods and heights of trainers.

Make the training posture more diverse and comfortable.





Smooth Track

Smooth trajectory, no break.

76 bearings, 3 special motors, the manufacturing process is also subject to strict quality control



PERFORMANCE

D 10 15:20- 96- 3.B. Blue Blue Blue

HD Smart Screen

1080P Screen, Tempered glass, High strength, High resistance, Panoramic large screen, brings you the feeling of being there.

Humanized Design







Bluetooth Audio Output




Storage Box




USB interface




Ipad/Mobile phone slot







AnyFit Course

















Specifications	AI5	AI3
Console Screen	10.1*Touchscreen	0.56"Led+8*8 Dot Matrix
Resistance Level	1-25	1-25
Stride Grade	1-10	1-10
Step Depth Grade	1-15	1-15
Stride Adjustment Length	481-637mm	481-637mm
Step Depth Adjustment Length	435-561mm	435-561mm
Pedal Center Distance	230mm	230mm
Self-compiled Programs	1	1
Preset Programs	6	6
Power Requirements	AC 100V~240V 50/60Hz	AC 100V~240V 50/60Hz
Assembled Dimension	2120*790*1680mm	2120*790*1680mm
Net Weight/Gross Weight	225/310KG	225/310KG
Max User Weight	150KG	150KG
Console Function		
USB	: : ::::::::::::::::::::::::::::::::::	0
Headphone	9 0 0	(4)
Fan	•	
Aultiple Cup And Accessory Holders		•
Bluetooth Audio Output	•	
Mobile and Pad Holders	•	
Console Data Display		
Resistance Level	9.0	
Stride Adjustment	•	
Step Depth Adjustment		•
Speed	•	
Rotations Per Minute	•	
Average Speed	•	
Calories	(a)	
Heart Rate	160	100
Distance	•	•
Time	•	
Frequency	•	•
Power Ration	•	•
Remaining Time	\$ 6 0	
Elapsed Time	100	
Total Progress Time	•	
Preset Programs		
Self-compiled programs		
Function Feature		
Smart Stride Adjustment	. • • •	
Smart Step Depth Adjustment		3.60
Multiple Position Handrails	•	•
Quick Adjustable Handrail		
	377	

Any Rifs Smart Training Interactive Technology and Data Security Link Technology.

STAIRTRAINER

With Anyfit Smart Training Tech.

MORE NATURAL & LASTING

Walking, running, jumping, and climbing are the most natural and popular exercise ways.

Training equipment lets users get close to the most basic and natural movement, but this is not a simple subject. Not only must safety always be ensured while training, but also comfort and sustainability. The clear design leaves space for unlimited upgrading of the equipment.


The natural design is the core of our Stairtrainer, resulting in an overall larger size and wider pedal. Every design should meet a comfortable and natural exercise experience of users' feet, legs and upper body. Only then, the movement can be more lasting.

Our goal is simple, If someone asked, why use the StairTrainer? They would say: Because it is an AnyFit StairTrainer.





COMFORT DESIGN



Easier Workout

The Stairtrainer always comes to a standstill after training and keeps half a step on stand-by which provides an easier reentry.



Flexible Grip Options

Designed for different training methods and heights of trainers. Make the training posture more diverse and comfortable.

Soft Side Handrail

Soft material, more comfortable grip.

Three-steps Operation

The training area always provides three steps.



 Unique bivariate adjustment training, setting the degree of difficulty based on different training needs.



A - Resistance Training: self-adaptive weight
(to increase and decrease resistance through resistance adjustment)



B - Speed Training (to reduce and increase speed through resistance adjustment)

· Self-adaptive weight



Adapts to the initial boarding speeds of different trainers.

SAFETY



Wraparound Handrails

Safer for users

Embedded Security Identification

Orange warning design makes training safer






Patented Emergency Stop

The device will come to a standstill when the emergency stop button is pressed, to ensure safety at all times

Anti-pinch Step

Unique design lets the trainer focus on their training more focused on training





Safety Assisted Side Step

Can be used to take a short break, one-leg training is also possible. Combine with the training program to complete more actions.

35

PERFORMANCE



HD Smart Screen

1080P Screen, Tempered glass, High strength, High resistance, Panoramic large screen, brings you the feeling of being there.

Humanized Design



Fan



Bluetooth Audio Output



Storage Box



USB Interface




ipad/mobile Phone Slot




Transmission System

Chain drive, Stainless steel, stronger.










AnyFit Course















Specifications	AI5	Al3
Console Screen	10.1°Touchscreen	0.56"Led+8*8 Dot Matrix
Resistance Level	1-20	1-20
Staircase Dimension	550*278*205mm	550*278*205mm
Initial Stair Height	300mm	300mm
Effective Utilization Staircase	3	3
Self-compiled Programs	1	j
Preset Programs	6	6
Power Requirements	AC 100V~240V 50/60Hz	AC 100V~240V 50/60Hz
Assembled Dimension	1600*970*2230mm	1600*970*2230mm
Net Weight/Gross Weight	226/310KG	226/310KG
Max User Weight	150KG	150KG
Console Function		
USB		0
Headphone	•)S
Fan	•	•
Aultiple Cup And Accessory Holders	•	•
Bluetooth Audio Output		
Mobile and Pad Holders		•
Console Data Display		
Resistance Level		
Speed	•	•
Rotations Per Minute		
Average Speed	•	•
Calories	•	•
Heart Rate	•	•
Distance		•
Time	•	•
Frequency	•	
Power Ration	•	•
Remaining Time	•	•
Elapsed Time	•	•
Total Progress Time		•
Preset Programs	•	•
Self-compiled Programs		
Function Feature		
Safety Side Step		
Easily Stepped Into	•	•
Patent-Emergency Stop		
Multiple Position Handralls		•
Quick Adjustable Handrail		
Transport Wheel		2

AnyFit's Smart Training Interactive Technology and Data Security Link Technology.

UPRIGHT BIKE

With Anyfit Smart Training Tech.

NO MORE BEING ALONE

Some people like running training, others like riding. We are all passionate about one of them, so are the members. Therefore, it is necessary to have them all, but the utilization rate is not high. How to make the necessary things more important?

The intelligent exercise bike equipped with anyfit intelligent training technology can make members like combined training through the arrangement of intelligent fitness courses. Through the guidance of the course plan, members can try more fun of training with running and fitness bike, and even integrate more training forms, such as FTP test. Or with electrical pulse training (EMS), the training process and challenges can become infinite and interesting.



Easily Adjust Seat Height

With its 14 seat adjustment levels, the adjustment switch is located below the seat. Easier to adjust, the seat height can be easily adjusted even if you are riding.







Multi-position Sports Handrail

Designed for different training postures, the handrail makes the training posture more diverse and comfortable.











Handrail Button

Matching ergonomic design, easy to adjust the armrest, easy to operate.



body of the device, device and

bring you a real riding

experience.








≜€ (€ (1) 🗳

AnyFR's Smart Training Interactive Technology and Data Security Link Technology.





3D Vibration

Built-in 3D motor, 3D high-frequency vibration of 30-50Hz per second.




AnyFit Lights Language

When activated and checked, LED light turns green. Blue light means fitness stations can be used. Red light means log out.

Before and after training, light language is safe and visible. Every design detail is combined with function and aesthetics.

Smart Training with App

Launch mission course for training with an App which helps you with all the details. you for all training details. Ask your trainer for a speed training plan or take part in smart group trainings in your studio.

















Measurement (W x L x H)	650 x 640 x 215 mm	
Weight	39 kg	
Maximum user weight	120 kg	
Vibration area	650 x 640 mm	
Vibrationplate thickness	5,8 mm	
Vibration frequencies	30-50 HZ, 1Hz gradually	
Vibration speeding up	Factor 1-5	
Display measurement	LED	
Data transfer	Phone - Display	
Preset programs	Strength \ Stretch \ Massage \ Relax	



TREADMILL











Specifications	AIS	AI3
Console Screen	21.5"Tauchscreen	0.56"Led+8"8 Dot Matrix
Motor Power	3.0KW	3.0KW
Speed	1-24KM/H	1-24KM/H
Incline	O-15%	O-15%
Running Surface	580*1600mm	580*1600mm
Assembled Dimension	2220*910*1600mm	2220*910*1600mm
Self-compiled Programs	3	3
Preset Programs	6	6
Power Requirements	AC 220V/110V	AC 220V/110V
Net Weight/Gross Weight	240KG	240KG
Max User Weight	150KG	150KG
Console Function		
USB	•	0
Headphone	•	
Fan	•	•
fultiple Cup And Accessory Holders		
Bluetooth Audio Output		X
Console Data Display		
Speed	•	•
Incline	•	•
Speed Shortcut Key	•	•
Slope Shortcut Key		•
Calories	•	•
Heart Rate	•	•
Distance	•	•
Time	•	•
Frequency	•	•
Power Ration	•	
Remaining Time		•
Elapsed Time	•	
Total Progress Time	•	•
Rotations Per Minute	•	•
Average Speed		•
METS	: ●	
Preset Programs		
Self-compiled	-	•

ELLIPTICAL











Specifications	Al5	AI3
Console Screen	10.1*Touchscreen	0.56"Led+8*8 Dot Matrix
Resistance Level	1-25	1-25
Stride Grade	1-10	1-10
Step Depth Grade	1-15	1-15
Stride Adjustment Length	481-637mm	481-637mm
Step Depth Adjustment Length	435-561mm	435-561mm
Pedal Center Distance	230mm	230mm
Self-compiled Programs	1.	1
Preset Programs	6	6
Power Requirements	AC 100V~240V 50/60Hz	AC 100V~240V 50/60Hz
Assembled Dimension	2120*790*1680mm	2120*790*1680mm
Net Weight/Gross Weight	225/310KG	225/310KG
Max User Weight	150KG	150KG
Console Function		
USB	*	O
Headphone	*	
Fan	•	•
Multiple Cup And Accessory Holders	•	•
Bluetooth Audio Output	•	
Mobile and Pad Holders		•
Console Data Display		
Resistance Level		1
Stride Adjustment	•	
Step Depth Adjustment	•	•
Speed	•	
Rotations Per Minute	•	•
Average Speed		•
Calories	•	
Heart Rate		
Distance		
Time	•	
Frequency	•	
Power Ration	•	
Remaining Time		
Elapsed Time	•	
Total Progress Time	•	
Preset Programs	•	•
Self-compiled		
Function Feature	-	
Smart Stride Adjustment	-	
Smart Stride Adjustment Smart Step Depth Adjustment		
Multiple Position Handrails		
The second secon		
Quick Adjustable Handrail		3.50

STAIRTRAINER











	Ė	٦	_	7
	1			1
-	И			W.
	員		-	H.
1	и			и

Specifications	AIS	AI3
Console Screen	10.1"Touchscreen	0.56"Led+8*8 Dot Matrix
Resistance Level	1-20	1-20
Staircase Dimension	550*278*205mm	550*278*205mm
Initial Stair Height	300mm	300mm
Effective Utilization Staircase	3	3
Self-compiled Programs	1	1
Preset Programs	6	6
Power Requirements	AC 100V~240V 50/60Hz	AC 100V~240V 50/60Hz
Assembled Dimension	1600*970*2230mm	1600*970*2230mm
Net Weight/Gross Weight	226/310KG	226/310KG
Max User Weight	150KG	150KG
Console Function		
USB		O
Headphone		23
Fan		
Multiple Cup And Accessory Holders		
Bluetooth Audio Output		*1
Mobile and Pad Holders	•	
Console Data Display		
Resistance Level		
Speed		
Rotations Per Minute		
Average Speed		
Calories	•	
Heart Rate		
Distance		
Time		
Frequency		
Power Ration		
Remaining Time	•	•
Elapsed Time		
Total Progress Time		
Preset Programs		
Self-compiled	•	
Function Feature		
Easily step into		
Easily Step into	•	•
Patented Emergency Stop		
Multiple Position Handrails		
Quick Adjustable Handrail	•	
Transportation Wheel		

UPRIGHT BIKE











Specifications	Al5	Al3
Console Screen	10.1°Touchscreen	0.56"Led+8*8 Dot Matri:
Resistance Level	1-25	1-25
Self-compiled Programs	1	1
Preset Programs	6	6
Power Requirements	AC 100V~240V 50/60Hz	AC 100V~240V 50/60H
Assembled Dimension	1200×500×1450mm	1200×500×1450mm
Net Weight/Gross Weight	75/95KG	75/95KG
Max User Weight	150KG	180KG
Console Function		
USB		0
Headphone		#C
Fan		
Multiple Cup And Accessory Holders		
Bluetooth Audio Output		-
Mobile and Pad Holders		
Console Data Display		
Resistance Level		
Speed		
Rotations Per Minute		
Average Speed		
Calories		
Heart Rate		•
Distance		
Time		: • · ·
Frequency		
Power Ration		
Remaining Time		
Elapsed Time		100
Total Progress Time		•
Preset Programs		
Self-compiled		
Function Feature		
Multiple Position Handrails		
Quick Adjustable Handrail	•	N. ● C
Adjustable Pedal		•
Adjustable Seat		
Transportation Wheel		

101



Maintenance

Strong ABS material, AnyFit one-shot molding technology, high toughness, impact resistance, improve the privacy and security.

Appearance design, structure without screw assembly and replacement process simple requirements into consideration. The process of maintenance and replacement becomes extremely convenient.



Quality

AnyFit strictly controls each production process, and the production line yield and unpacking yield are 100%, so the club does not need to update the equipment during the operation period. AnyFit equipment has passed the most of global certification and requirements.

Treadmill 150,000 times uninterrupted load testing. Elliptical 200,000 times uninterrupted load testing. Strength 400,000 times uninterrupted load testing.

Climber 120,000 times uninterrupted load testing.
Upright Bike 100,000 times uninterrupted load testing.

AnyFit has developed testing equipment and testing standards for different enterprises on the basis of equipment that meets the requirements of testing.

AnyFit aerobic equipment meets the caulking and surface color difference and other strict standards.



Service Guarantee

Platform:

AnyFit suita system can classify and manage the equipment of the club, check the status of the equipment, record the daily real-time operation data, check the historical data, set an automatic alarm for after-sales maintenance, fault, and forecast and remind the replacement of aging vulnerable parts.

Smart equipment classification management, each device has its unique identification code, according to the different types of aerobic equipment exercise classification management, the club can view the overall operation of various types of equipment, whether in use, whether normal operation, real-time operation current, voltage, whether full load operation. Once the equipment fails, the system will send a fault warning immediately, notify the after-sales service department of the fault code, have a rough judgment of the fault, and prompt the corresponding solution; Facilitate after - sales maintenance. For some vulnerable parts there will be historical cumulative data, in the specified time and mileage to make a replacement forecast. Analyze the usage frequency of the equipment, record the peak usage and idle time of the equipment every day, and help the club to optimize the equipment configuration.



day telephone response



2 days door-to-door service



5

days to solve the problem

AnyFit sets up service teams around the world to unify service standards.

After-sales Service



Original accessories:

Ensure that all accessories are directly ordered to the manufacturer, the quality of the original accessories to ensure the safety and reliability of the use of equipment. All engineers have been trained by the manufacturers assessment, to ensure their professional technology and product maintenance reliability;



109

Service hotling

We have professional customer service staff to answer your after-sales service questions and provide corresponding solutions, to provide the most convenient and timely help for customer contact and emergency rescue.



Emergency rescues

Set up customer emergency rescue service station to minimize equipment downtime.



Free Maintenance:

In order to provide more convenient service for customers, no fee will be charged for the initial maintenance of the failure in a specific area.



Regular interview:

For customer equipment, AnyFit will implement the dynamic tracking system, periodically in the equipment to people's visit to the interview, telephone interviews, letters and so on, to achieve the small monitoring in the whole process of the intermittent period, and will provide equipment assessment and advice, in order to maximize the predicted failure and reduce equipment downtime cycle.



Customer feedback:

AnyFit will also establish a new customer feedback system. Please put forward your valuable opinions and suggestions and send them back to the personnel directly. Your opinions and Suggestions will be the direction of improvement of the bidder.



Equipment self-test:

The smart system equipped within the equipment has self-test function and alarm failure;



Smart online:

AnyFit product with smart teaching platform with smart online services.



Warranty

AnyFit warrants the equipment to be free from defects in materials and manufacture for the warranty periods set forth below. The warranty periods commence on the invoice date of original purchase. This warranty applies only against defects discovered within the warranty periods and extends only to the original purchaser of the product. Parts repaired or replaced under the terms of this warranty will be warranted for the remainder of the original warranty period only. To make a claim under warranty, the buyer must notify AnyFit or his or her authorized AnyFit distributor within 30 days after the date of discovery of any nonconformity and make the affected product available for inspection by AnyFit or its service representative. AnyFit's obligations under this warranty are limited as set forth below.

Warranty Periods and Coverage

Cardio

- Structural Frame: 10 years
- Motor: 8 years
- Generator/EMS/ECB brake: 2 years
- Key Pad: 1 year

- Running belt, running deck, transmission belt: 3 years
- Motor controller: 3 years
- Screen: 2 years
- · Mechanical and Electrical Parts (including PVS, transmitters): 2 years
- High Wear Console Items, including: Headphone Jacks, USB Connectors: 180 days
 Batteries, Non-integrated Receivers: 1 year

Strength

- Structural Moving Parts (weight plate, accessories, weight stacks): 3 years Structural Frameworks: 10 years
- Hand Grips, Seat Adjustment Device, Cover, and Springs: 1 year
- Upholstery: 180 days
- · Bearing: 3 years

- Structural Franciscolor 10 years
- · Pulley Set (including steel cable): 3 years

Media Receiver Boxes: 2 years

Coating: 180 days

AnyFit reserves the right of interpretation.