

AnyFit.



AnyFit

2022

AnyFit.

ANYFIT INTERNATIONAL
Hanauer Landstr. 287-289,60314 Frankfurt am Main, DE
T +49 69 90439168
account-office@anyfit.de
www.anyfit.de
Entworfen von AnyFit Health Tech. GmbH in Frankfurt Deutschland

PISTON

With Anyfit Smart Training Tech.



Piston is a series focused on training results. The key point of design is precision ergonomics, including: precise degree design, defined movement and smoother path of motion, which aim to achieve accurate stimulation of muscles.

This is also the AnyFit smart training technology, which makes it possible to monitor the process and collect accurate data.

COMFORT DESIGN

Easy and Adjustable Seat Height

The seat and back pad can be adjusted according to the range of motion to match users with different heights



Special Multilayer Foaming Material



- **More Durable**

The Upholstery is comfortable and durable. Long-lasting use without damage.

- **Anti-sweat, Antibacterial**

Passed the anti-sweat penetration test, with good anti-sweat performance and antibacterial effect.

- **Pleasant Appearance**

Same as car seat cushion quality. More comfortable and beautiful, available in a variety of colors and materials for customers selection.

The Color Option



GALAXY GREY FRAME

BROWN UPHOLSTERY



WHITE FRAME

BLACK UPHOLSTERY



WINE RED FRAME

CHARCOAL UPHOLSTERY



Within program: distance / route, adjustments and adaptations




Interactive guidance of training programs



SELF TRAINING


Independent Strength Training





Smart ID

Smart bracelet and scan code, automatically login.
Smart identification of membership



AnyFit's Smart Training, Interactive Technology
and Data Security Link Technology.



10.2" Touchscreen

A panoramic big screen gives you a
feeling of actually being there.



PISTON 5



AnyConnect

PISTON 3



APP Workout



Smart Private Trainer

All members of the AnyFit Eco-Fitness Studio can have their workout within the individual training program which is preset on the smart equipment by their private trainers, to achieve smart mission control at anytime.

Any Part of the Limbs Can Be Trained Individually

1. Limb training is more various.
2. More ergonomic requirements, relative linkage, split-type training in the target muscles leading to a more efficient training process.




FUNCTIONAL DESIGN

Precise Machined Pulley

Compared with common pulleys our pulley is added another machined processing. This results in:

1. Better performance and durability
2. Smoother path of motion.

After thousands of times testing and adjustment, it is safe to say the pulley keeps vibration and swing deviation at **0.1mm**. This is extremely difficult and ensures the core muscles and small muscle groups exercise while minimizing the risk of sports injury workout.



Shield

3mm ABS shield is made by AnyFit one shot technology with high resistance and impact, provides privacy and safety. The structure with the steel frame makes assembly easier. The repair and replacement becomes very convenient.



Cable

As is known to us, cable is the most vulnerable part of strength equipment, which determines the life time of equipment. We provide optional EXERFLEXPRO (option) cable from the U.S. to ensure a positive workout experience and unparalleled safety. And we tested the cable in our lab, it reaches **400,000** times without break in normal use, which is **4** times more than the ordinary cable. The safe usage of our sports equipment can be guaranteed for **2** years in normal use. This greatly reduces replacement and the risk of damage, extends the life of the equipment and saves half of the cost of maintenance.




Bearing

We use Model#TPI6205 bearings, which have higher quality than others. Large size bearings can ensure better rotation stability, improve training stability and have longer life time.





PISTON-E SERIES





Chest Press

PE101

Standard Weight Stack: 96 kg/212 lbs
 Optional Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 122.5X147.7X179.6cm
 Net Weight: 165 kg

- Converging axis arms bring natural and soft movement, and an increased exercise variety.
- Super-sized grips reduce pressure when pressing.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.

Pulldown

PE104

Standard Weight Stack: 96 kg/212 lbs
 Optional Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 166.8X125.4X193 cm
 Net Weight: 162 kg

- Adjustment points are highlighted with a contrasting color for ease of use.
- Dual-position hand grips allow for greater training variety.
- Super-sized grips reduce pressure when pulling down.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Shoulder Press

PE102

Standard Weight Stack: 66 kg/212 lbs
 Assembled Dimension: 162.4X159.2X159.6 cm
 Net Weight: 170 kg

- Dual-position hand grips allow for greater training variety.
- Reclining seat position allows for better posture and back support.
- Converging axis arms bring natural and soft movement, and an increased exercise variety.
- Super-sized grips reduce pressure when pressing.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Dip/Chin Assistant

PE105

Standard Weight Stack: 141 kg/311 lbs
 Assembled Dimension: 158.8X131.6X251.6 cm
 Net Weight: 140 kg

- Dual grips for added exercise variety.
- Footbar easily flips up for unassisted pull-ups and dips.
- Super-sized, dual position grips reduce pressure when pressing and create different hand positioning.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.

Seated Row

PE107

Standard Weight Stack: 96 kg/212 lbs
 Optional Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 193X111.5X160 cm
 Net Weight: 155 kg



- Diverging path of motion invites a complete range of movement for optimal training results.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.

Converging Chest Press

PE109

Standard Weight Stack: 96 kg/212 lbs
 Optional Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 140X130X160 cm
 Net Weight: 158 kg



- Independent converging arm movements provide a natural path of motion and increase exercise variety.
- Super-sized grips reduce pressure when pressing.
- Designed for easy entry and exit.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.

Arm Curl

PE108

Standard Weight Stack: 96 kg/212 lbs
 Optional Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 151X144X160 cm
 Net Weight: 153 kg



- Articulating arm eliminates the need for adjustment while allowing users to move in a pattern best suited for their body type or motion preference.
- Rotating swivel grips allow for exercise variety.
- Arm pad is angled for stability, and limits unwanted shoulder movement during exercise.
- Optimized pivot location creates a biomechanically correct range of motion.
- Angled hand grips ensure optimal wrist position.
- Unique link-rod design ensures smooth range of motion.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.

Triceps Press

PE110

Standard Weight Stack: 66 kg/146 lbs
 Optional Weight Stack: 84 kg/185 lbs
 Assembled Dimension: 177.5X115.7X160 cm
 Net Weight: 164 kg



- Angled back pad reduces stress, improves stabilization and enhances comfort.
- Super-sized, dual position grips reduce pressure when pressing and create different hand positioning.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.

Pec Fly/Rear Delt

PE111

Standard Weight Stack: 96 kg/212 lbs
 Optional Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 137.9 × 115.7 × 190.6 cm
 Net Weight: 148 kg

- The dual pivoting arms allow for users of different arm lengths to comfortably perform each exercise while maintaining proper posture.
- Easily adjustable dual hand position provides variety for both the pec and rear delt fly movements.
- Super-sized grips reduce pressure when pressing.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Leg Extension

PE201

Standard Weight Stack: 96 kg/212 lbs
 Optional Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 125.2 × 129.5 × 159.6 cm
 Net Weight: 160 kg

- Angled seat and back pads encourage full quadriceps contraction.
- Thumbswitch controls and ergonomic adjustment handle allow easy user set-up.
- Easily adjustable starting position fits different users.
- Horizontally adjusting backpad helps help users find a natural and comfortable workout.
- Super-sized bearings create durable and smooth motion.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Lateral Raise

PE113

Standard Weight Stack: 66 kg/146 lbs
 Optional Weight Stack: 84 kg/185 lbs
 Assembled Dimension: 113.3 × 126.6 × 159.6 cm
 Net Weight: 140 kg

- Oversized arm pads enhance comfort and accommodate a variety of users.
- Padded arm pads and fixed handles allow for easy user positioning.
- Super-sized grips reduce pressure when pressing.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Prone Leg Curl

PE203

Standard Weight Stack: 66 kg/146 lbs
 Optional Weight Stack: 84 kg/185 lbs
 Assembled Dimension: 173.8 × 113.6 × 159.6 cm
 Net Weight: 160 kg

- Easily adjustable leg limiting pad helps users find the most comfortable starting position.
- Countered arms help users to support and isolate the lower body and direct the force to one area.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Hip Abduction

PE205

Standard Weight Stack: 66 kg/146 lbs
 Optional Weight Stack: 84 kg/185 lbs
 Assembled Dimension: 160X74X159.7 cm
 Net Weight: 135 kg

- Knee pads provide leg support and enhanced comfort.
- Weight stack positioned in front of the user acts as a shield, providing enhanced privacy.
- Well-designed rotating structure ensures comfortable and smooth movement.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Standing Calf

PE208

Standard Weight Stack: 114 kg/251 lbs
 Optional Weight Stack: 141 kg/311 lbs
 Assembled Dimension: 140X128X161 cm
 Net Weight: 165 kg

- Angled support handles enhance comfort.
- Easy get-in footplate and ergonomic shoulder pad design help users find correct positioning quickly.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Seated Leg Press

PE207

Standard Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 170X118X160 cm
 Net Weight: 203 kg

- Articulating frame moves backward and tilts for greater range of motion at the hip and more complete training of the glutes and hamstrings.
- The large foot plate increases the variety of exercise possible.
- Big back pad and seat provide more stability and confidence for older and poorly balanced users.
- Counterbalance system provides consistent resistance at even the lowest weight selections.
- Seat back angle adjusts to five positions emphasizing comfort and greater hip range of motion.
- Safe and controlled squatting design after workout repeats.
- The seat and back pad can be adjusted according to the range of motion to match users with different heights.
- Link-rod and bearings design improve durability and smooth performance.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.



Glute Extension

PE209

Standard Weight Stack: 96 kg/212 lbs
 Optional Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 133X126.5X160 cm
 Net Weight: 140 kg

- Adjustable foot bar allows the user to choose the amount of knee extension desired for movement and optimal fit for all sizes.
- Adjustable abdominal support pad ensures correct exercise position and minimum back pressure.
- Curvilinear movement encourages full gluteal training without requiring the user to align the hip joint.
- 2:1 weight ratio for smaller increases between plates and faster movements.
- Unique micro-adjustable pivot point offers precise positioning for a variety of users.
- Large handlebar improves support and stability.
- Incremental adjustment for small weight gain.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.



Hip Adduction

PE210

Standard Weight Stack: 66 kg/146 lbs
 Optional Weight Stack: 84 kg/185 lbs
 Assembled Dimension: 157.6X72X160 cm
 Net Weight: 138 kg

- Knee pads provide leg support and enhanced comfort.
- Weight stack positioned in front of the user acts as a shield, providing enhanced privacy.
- Easily adjustable starting position fits different users.
- Well-designed rotating structure ensures comfortable and smooth movement.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.

Torso Rotation

PE303

Standard Weight Stack: 96 kg/212 lbs
 Optional Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 131X73X160 cm
 Net Weight: 142 kg

- Foot bar helps users of all sizes achieve proper stabilization.
- Contoured knee pads with wear covers enhance comfort, stability and durability.
- Easily adjusted starting position.
- Arm, seat and back pad positions help secure the user for maximized oblique muscle engagement.
- This unit provides resistance for rotation in both directions, providing a complete oblique workout.
- Easily adjustable starting position fits different users.
- Well-designed rotating structure ensures comfortable and smooth movement.
- Considerate pedal design allows users gain wider positioning area.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Abdominal

PE301

Standard Weight Stack: 96 kg/212 lbs
 Optional Weight Stack: 123 kg/271 lbs
 Assembled Dimension: 141.5X102.3X160 cm
 Net Weight: 130 kg

- Ergonomic back pad improves range of motion and enhances comfort.
- Countered arms help users support and isolate the lower body and direct the force to one area.
- Easily adjusted footpad accommodates users of different height.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Cable Cross

PE402

Standard Weight Stack: 2*96 kg/2*212 lbs
 Optional Weight Stack: 12*123 kg/2*271 lbs
 Assembled Dimension: 172X100X219 cm
 Net Weight: 190 kg

- 1:2 pulley ratio provides low incremental weight changes and moderate speed work.
- Space efficient, allows multiple users to exercise simultaneously.
- One-handed adjustment makes operation easy.
- Widely spaced, dual-adjustable pulleys offer exercise variety.
- Frame description standard rubber feet protect base of the frame and prevent the machine from slipping.
- Each frame receives an electrostatic powder coat finish to ensure maximum adhesion and durability.
- 11-gauge steel frame ensures maximum structural integrity.
- Super-sized grips reduce pressure when pressing.
- Separable structure design for easy packaging and transportation.



4-Stack

PE404

Standard Weight Stack: 4*96 kg/4*212 lbs
 Optional Weight Stack: 4*123 kg/4*271 lbs
 Assembled Dimension: 330X211X234.5 cm
 Net Weight: 337 kg

- Weight stacks allow multiple users to exercise simultaneously.
- Pull down, long pull, triceps push down and adjustable hi/lo pulley.
- Unilateral design allows single or dual-arm exercise.
- Space efficient and moveable.
- Frame description standard rubber feet protect base of the frame and prevent the machine from slipping.
- Each frame receives an electrostatic powder coat finish to ensure maximum adhesion and durability.
- 11-gauge steel frame ensures maximum structural integrity.
- Super-sized grips reduce pressure when pressing.
- Strong and durable aluminum alloy shield frame.
- Separable structure design for easy packaging and transportation.



Sover Machine

PE403

Standard Weight Stack: 2*96 kg/2*212 lbs
 Optional Weight Stack: 2*123 kg/2*271 lbs
 Assembled Dimension: 420.6X72X237 cm
 Net Weight: 250 kg



6-Stack

PE406

Standard Weight Stack: 5*96 kg/5*212 lbs
 Optional Weight Stack: 5*123 kg/5*271 lbs
 Assembled Dimension: 520x330x237 cm
 Net Weight: 477 kg




9-Stack

PE409

Standard Weight Stack: 8*96 kg/8*212 lbs
 Optional Weight Stack: 8*123 kg/8*271 lbs
 Assembled Dimension: 618X330X237 cm
 Net Weight: 704 kg



PISTON-S SERIES



WARNING

Multi Press (Chest/Shoulder)

PS01

Standard Weight Stack: 96 kg/212 lbs
Optional Weight Stack: 123 kg/271 lbs
Assembled Dimension: 177.9X151X159.6 cm
Net Weight: 168 kg

- Designed for easy entry and exit.
- Smoothly transition between exercises with one simple adjustment.
- Dual-position hand grips allow for greater training variety.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Bicep Curl/ Tricep Extension

PS03

Standard Weight Stack: 66 kg/146 lbs
Optional Weight Stack : 84 kg/185 lbs
Assembled Dimension: 119.5X120X159.6 cm
Net Weight: 133 kg

- Upper-arm pads are angled to enhance user stability during exercise.
- Two machines in one: bicep curl and tricep extension. Preacher curl position with auto-adjust hand grips to fit all users.
- Ergonomic adjustable roller helps users to find the most comfortable position and bring excellent path of motion.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Pulldown/Seated Row

PS02

Standard Weight Stack: 96 kg/212 lbs
Optional Weight Stack: 123 kg/271 lbs
Assembled Dimension: 173X156.5X230.2 cm
Net Weight: 157 kg

- Elevated foot rests provide stability and comfort during heavy lifts.
- The row bar rests on a storage plate with a protective coating so that the bar is out of the way when the Pulldown is being used. The protective coating keeps the storage plate from scratches and dents.
- Easily adjustable roller helps users find out the most comfortable position.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Leg Extension/ Leg Curl

PS04

Standard Weight Stack: 96 kg/212 lbs
Optional Weight Stack: 123 kg/271 lbs
Assembled Dimension: 146X122.4X159.6 cm
Net Weight: 160 kg

- Angled pads and ideal pivot location promote full muscle contraction.
- The start position and roller pads easily adjust from the seated position making it easier for the user to get in and fit the unit to their needs once seated.
- Easily adjustable roller helps users find the most comfortable position.
- Parallel movement arms ensure smooth range of motion.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.





Inner/Outer

PS05

Standard Weight Stack: 66 kg/146 lbs
 Optional Weight Stack: 84 kg/185 lbs
 Assembled Dimension: 157.7X162.8X159.6 cm
 Net Weight: 155 kg

- Easily adjustable leg limiting pad allows users to choose different workouts.
- Dual foot pad fits people of different heights.
- High quality super-sized bearings bring excellent performance.
- Precision machined pulley leads smoother path of motion.
- Durable EXERFLEXPRO® cable ensures workout experience and unparalleled safety.
- Heavy duty translucent shield provides privacy and safety.
- Instructional placard guides users the best workout results with correct illustrations.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder. Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.



Abdominal/ Back Extension

PS06

Standard Weight Stack : 66 kg/146 lbs
 Optional Weight Stack : 84 kg/185 lbs
 Assembled Dimension : 127.5X130X159.6 cm
 Net Weight: 143 kg

- Ergonomic adjustable roller helps users find the most comfortable position.
- Dual foot pad fits people of different heights.
- High quality super-sized bearings bring excellent performance.
- Precision machined pulley leads smoother path of motion.
- Durable EXERFLEXPRO® cable ensures workout experience and unparalleled safety.
- Heavy duty translucent shield provides privacy and safety.
- Instructional placard guides users the best workout results with correct illustrations.
- The whole series are equipped with professional stable feet for safety.
- Professional and precise ergonomic design of training angles.
- Strong and durable aluminum alloy shield frame.
- Equipped with convenient cup and cellphone holder.
- Separable structure design for easy packaging and transportation.
- Protective end design of the handlebar for safety of the movement.





Maintenance

Strong ABS material, AnyFit one-shot molding technology, high toughness, impact resistance, improve the privacy and security.
Appearance design, structure without screw assembly and replacement process simple requirements into consideration. The process of maintenance and replacement becomes extremely convenient.



Quality

AnyFit strictly controls each production process, and the production line yield and unpacking yield are 100%, so the club does not need to update the equipment during the operation period. AnyFit equipment has passed the most of global certification and requirements.

Treadmill 150,000 times uninterrupted load testing. Climber 120,000 times uninterrupted load testing.
Elliptical 200,000 times uninterrupted load testing. Upright Bike 100,000 times uninterrupted load testing.
Strength 400,000 times uninterrupted load testing.

AnyFit has developed testing equipment and testing standards for different enterprises on the basis of equipment that meets the requirements of testing.
AnyFit aerobic equipment meets the caulking and surface color difference and other strict standards.



Service Guarantee

Platform:

AnyFit suite system can classify and manage the equipment of the club, check the status of the equipment, record the daily real-time operation data, check the historical data, set an automatic alarm for after-sales maintenance, fault, and forecast and remind the replacement of aging vulnerable parts.

Smart equipment classification management, each device has its unique identification code, according to the different types of aerobic equipment exercise classification management, the club can view the overall operation of various types of equipment, whether in use, whether normal operation, real-time operation current, voltage, whether full load operation. Once the equipment fails, the system will send a fault warning immediately, notify the after-sales service department of the fault code, have a rough judgment of the fault, and prompt the corresponding solution: Facilitate after-sales maintenance. For some vulnerable parts there will be historical cumulative data, in the specified time and mileage to make a replacement forecast. Analyze the usage frequency of the equipment, record the peak usage and idle time of the equipment every day, and help the club to optimize the equipment configuration.

1 day telephone response **2** days door-to-door service **5** days to solve the problem

AnyFit sets up service teams around the world to unify service standards.

After-sales Service



Original accessories:

Ensure that all accessories are directly ordered to the manufacturer, the quality of the original accessories to ensure the safety and reliability of the use of equipment. All engineers have been trained by the manufacturers assessment, to ensure their professional technology and product maintenance reliability;



Service hotline:

We have professional customer service staff to answer your after-sales service questions and provide corresponding solutions, to provide the most convenient and timely help for customer contact and emergency rescue.



Emergency rescue:

Set up customer emergency rescue service station to minimize equipment downtime.



Free Maintenance:

In order to provide more convenient service for customers, no fee will be charged for the initial maintenance of the failure in a specific area.



Regular interview:

For customer equipment, AnyFit will implement the dynamic tracking system, periodically in the equipment to people's visit to the interview, telephone interviews, letters and so on, to achieve the small monitoring in the whole process of the intermittent period, and will provide equipment assessment and advice, in order to maximize the predicted failure and reduce equipment downtime cycle.



Customer feedback:

AnyFit will also establish a new customer feedback system, Please put forward your valuable opinions and suggestions and send them back to the personnel directly. Your opinions and Suggestions will be the direction of improvement of the bidder.



Equipment self-test:

The smart system equipped within the equipment has self-test function and alarm failure:



Smart online:

AnyFit product with smart teaching platform with smart online services.



Warranty

AnyFit warrants the equipment to be free from defects in materials and manufacture for the warranty periods set forth below. The warranty periods commence on the invoice date of original purchase. This warranty applies only against defects discovered within the warranty periods and extends only to the original purchaser of the product. Parts repaired or replaced under the terms of this warranty will be warranted for the remainder of the original warranty period only. To make a claim under warranty, the buyer must notify AnyFit or his or her authorized AnyFit distributor within 30 days after the date of discovery of any nonconformity and make the affected product available for inspection by AnyFit or its service representative. AnyFit's obligations under this warranty are limited as set forth below.

Warranty Periods and Coverage

Cardio

- Structural Frame: 10 years
- Motor: 8 years
- Generator/EMS/ECB brake: 2 years
- Key Pad: 1 year
- High Wear Console Items, including: Headphone Jacks, USB Connectors: 180 days
- Batteries, Non-integrated Receivers: 1 year
- Running belt, running deck, transmission belt: 3 years
- Motor controller: 3 years
- Screen: 2 years
- Mechanical and Electrical Parts (including PVS, transmitters): 2 years
- Media Receiver Boxes: 2 years

Strength

- Structural Moving Parts (weight plate, accessories, weight stacks): 3 years
- Hand Grips, Seat Adjustment Device, Cover, and Springs: 1 year
- Upholstery: 180 days
- Bearing: 3 years
- Structural Frameworks: 10 years
- Pulley Set (including steel cable): 3 years
- Coating: 180 days